POOL APPENDIX

Applicant:		
Property Owner:		
Property Location: _		

ABOVE GROUND AND INGROUND POOLS:

Require a building permit and an electrical permit which should be taken out at the same time, and a rough and final inspection by the Wiring Inspector and the Building Inspector.

OTHER REQUIREMENTS:

- Must be 10 feet from the septic tank
- Must be 20 feet from the leaching field
- Must be 40 feet from the front property line and may not be in the front yard area
- Must be 20 feet from the side property line
- Must be 20 feet from the rear property line
- Electrical permit required prior to permit being issued
- Pools require wiring and building inspections before concrete is poured
- Building Department approved fence protection is required during construction with inspection prior to water placement over 24 inches deep

Any swimming pool having a water depth exceeding 24" at any point shall be enclosed by a chain-link type fence with openings no greater than $1\frac{1}{2}$ "wide or by a stockage fence. Said fence shall be not less than 5 feet in height and shall be secured by a self latching gate or gates, which shall be kept securely closed when pool is not in use. Said fence and gate(s) shall be constructed and maintained so as to discourage entry over, through or under the fence by small children.

Pool Specifications

Above (Ground	Ing	ground			
Diameter:	Depth	_Length	Width			
Volume:	Depth at shallow en	d	Depth at deep	end		
Wall material		Liner Material				
Is there a diving board?_	Is the	re a slide?	Type of Filter?			
Distance from property li	nes: Front	_Left Side	Right Side	Rear		
Distance from house	Distance from septic tank		Distance from	_Distance from leaching		
Will there be an accessory buildingIf yes, a separate permit is required from Building Department						
Estimated Cost of Pool	Estimated time for construction					
Signature:						